



### Graduated measuring cylinders, tall form, PMP KARTELL

Material: PMP (TPX®). Crystal clear and resistance up to 170°C. Conforms to ISO 6706 - 1981 (E) and BS 5404 Part 2 1977; totally clear; autoclavable; can be used for liquids up to 170°C.. No wetting; no meniscus; permanent graduations are moulded in for reproducibility. Excellent chemical resistance; pentagonal base for added stability.

Capacity (ml)	Graduation (ml)	Subdivision (ml)	Tolerance (ml)	Ø (mm)	Height (mm)	Material	Pack (u.)	Art. No.
10	2	0,2	± 0,2	13,5	139	PMP (TPX®)	1	425-001570
25	5	0,5	± 0,5	18,5	195	PMP (TPX®)	1	425-001571
50	10	1	± 1,0	26	199	PMP (TPX®)	1	425-001572
100	10	1	± 1,0	31	249	PMP (TPX®)	1	425-001573
250	20	2	± 2,0	41,5	315	PMP (TPX®)	1	425-001574
500	50	5	± 5,0	55	361	PMP (TPX®)	1	425-001575
1.000	100	10	± 10,0	66	439	PMP (TPX®)	1	425-001576
2.000	200	20	± 20,0	84	531	PMP (TPX®)	1	425-001577



### Graduated measuring cylinders, tall form, polypropylene KARTELL

Material: clear polypropylene. Pentagonal base. Conforms to ISO 6706 - 1981 (E) and BS 5404 Part 2 1977. Special polypropylene giving very high translucency; autoclavable to 121°C for 20 min; continuous work at 100°C. Permanent graduations are moulded in for reproducibility; no wetting; no meniscus. Excellent chemical resistance; pentagonal base for added stability.

Capacity (ml)	Graduation (ml)	Subdivision (ml)	Tolerance (ml)	Ø (mm)	Height (mm)	Material	Pack (u.)	Art. No.
10	2	0,2	± 0,2	13,5	140	PP	1	425-001075
25	5	0,5	± 0,5	18	195	PP	1	425-001077
50	10	1	± 1,0	25,5	199	PP	1	425-001078
100	10	1	± 1,0	30,5	249	PP	1	425-001079
250	20	2	± 2,0	41,5	315	PP	1	425-001080
500	50	5	± 5,0	55	361	PP	1	425-001081
1.000	100	10	± 10,0	66	439	PP	1	425-001082
2.000	200	20	± 20,0	84	531	PP	1	425-001094

For further information, please contact [scharlab@scharlab.com](mailto:scharlab@scharlab.com)